



5100

shower curtain track
for care institutions



**The standard in
healthcare**





5100

shower curtain track practical & versatile

The Goelst shower curtain track 5100 is an ideal rail for your shower curtain. The rail has the looks of a classic curtain pole with the comfort of a high-quality curtain rail. The rail can be fitted with suspension hangers to be used in hospitals and care institutions. The Goelst 4200 can even be mounted without a suspension hanger between two walls up to a length of 180 cm. A very popular rail with many applications, such as in the care sector and residential homes.

- The ideal track for all shower curtains.
- Easy to bend and exceptional quality.
- Can be forward or reverse bent in different radii.
- Silent and smooth running, also round bends.
- Usable with LRS gliders.



Standard colours




High quality, wear-resistant coating, highly colourfast, UV-resistant.
Other RAL colours & special coatings on request.

Features

Material:	aluminium
Colour:	white, natural anodised
Dimensions:	26 x 28 mm
Weight profile:	522 gr/m ¹
Mounting:	wall or ceiling

Profile specifications

Aluminium profile:



Colours with RAL code and lengths (m):

	RAL	4	5	6	7
white	9010		•	•	•
natural			•	•	•
black	9005			•	

Mounting surface:

- wood
- masonry/concrete

Bracket type:

- ceiling bracket
- wall bracket
- spacer bracket


Bending:

bending radius	bending tool
R 15 cm	1015
R 25 cm	1015
R > 100 cm	1018

R 15 cm


R > 100 cm

Montage




Ceilingmounting 5100 with ceiling bracket 5153


Wall mounting 5100 with mini suspension hanger 4254



Wall mounting 5100 with wall bracket 5149



Mounting 5100 with wall bracket 5140




Ceiling mounting 5100: threaded rod set 4055-10, suspension hanger tube 4055-30 and with fixing set 4055-40.

Ceiling mounting with 4255




Application example


Standard shower rail situations and suspension hanger positions




L-shaped (shower)




U-shaped (shower)



Special (for example corner baths)



L-shaped (bath)



Straight rail

Specification guide

Material

- Aluminium EN AW-6060-T66.
- Anodised in accordance with the Qualanod standard.
- Powder coated in accordance with the Qualicoat standard.

For more information about this track, go to our website: www.goelst.co.uk

Standard parts

Curtain transport



4001-M-N-60
end stop metal with eye natural and RVS hook



4003
spring stop plastic requires punch hole white




4010-60
glider white with ss hook

Mounting



5149
wall bracket white / grey

Accessories



4145-050
dust cover reel 50m white / grey

Optional parts

Curtain transport



4001-M-N
eindstop met oog metaal naturel



4002
eindstop metaal naturel



4007
draaglijder wit / grijs / zilver / zwart




4007-60-LRS
draaglijder LRS grijs / voorloop draaglijder LRS rood



4007-70
draaglijder 4007 met ring wit

Mounting



5135
ceiling bracket white / natural metallic



4254
mini suspension hanger 3cm white / natural metallic / black



4055-10
threaded rod M6 with plug and 2x nut M6, 0-100 cm / 101-200 cm



4055-30-SYST-10
susp.hanger mount.set susp. ceiling, white / natural



4055-30-10
susp. hanger mounting set white / natural



4055-30-LRS-51
susp. hanger mounting set LRS 5100



4055-40
susp. hanger tube 50cm natural, 50 / 100 / 150 cm, one side threaded white / natural / black



4255
suspension hanger 50, 100, 150 cm white, natural



5140
wall bracket white / grey

Accessories




5153
end cap white / grey




5153-20
end cap hollow white / grey




5153-A
end cap aluminium white / natural metallic / black



4170
curtain holdback with fixing plate white / natural



4170-IS0
curtain holdback nat. fixing plate, isolated white / natural



4170-M
curtain holdback, magnetic fixing, white



Goelst UK Ltd

Crimple Court | Hornbeam Park | Harrogate | HG2 8PB
Tel 01423 873002 | Fax 01423 874006 | info@goelstuk.com | www.goelst.co.uk