

SOLID WOOD PLANK FLOORS



Content

03	Sustainability, Enviroment & Health
05	The Great Indoors
07	Junckers Plank Collection
30	Designing your space with Junckers
32	The invisible luxury of underfloor heating
33	Junckers ships decking
34	3 easy ways of installation
35	The perfect finish

FSC® and PEFC™ are independent forest certification schemes. Both organizations work globally to promote legal and sustainable foresting, in order to secure nature, humans and resources.



SUSTAINABILITY, ENVIRONMENT & HEALTH


In a global world, it is not enough for Junckers to improve itself continuously on a local level. We always try to ensure legal and sustainable forestry, and consequently, sustainable products, more effective energy utilisation and good working conditions. We do this through our subsidiaries, as well as by trying to influence our customers, suppliers and society on a broader scale.

In 1930 – long before it became trendy or politically correct – the young forester Flemming Juncker searched for ways to utilise and preserve one of our most valuable resources: the forests. At that time, there was very little focus on the environment and sustainable forestry. When Flemming Juncker implemented his ideas about care and sustainable utilisation of the forests, his company and the beautiful Junckers floors were born.

Junckers utilises 100% of the forested timber. Junckers is an energy-intensive industry using substantial volumes of energy for the drying and processing of wood. Junckers' residual wood (sawdust, wood chips, saw-cut log ends and other residual wood from the production) is supplied to a wood-fired power plant, which in return supplies electricity to Junckers and the Danish national electricity network.

As wood is considered CO₂-neutral material and because Junckers generates more energy than the business itself can consume, the energy surplus is used to produce CO₂-neutral electricity, which benefits society. That makes Junckers a CO₂-neutral company!

At Junckers, we believe in sustainability and we support initiatives that improve environmental awareness. Complying with environmental legislation and environmental regulations is paramount to us and in areas where we see further possibilities of improvement, we strive to do more. We co-operate with internationally recognised certification schemes, such as FSC®, PEFC™ and others.



Oak Harmony

THE GREAT INDOORS

ALLERGY FRIENDLY

Junckers lacquered and oiled floors comply with the demands of the Danish Indoor Climate Regulation, and Junckers was the first manufacturer in Denmark to achieve this approval from the Danish Technological Institute.

Free of insecticides «
Allergy friendly «
Cleans easily «



INDOOR CLIMATE

All Junckers wood floors and selected wood-care products have received the Danish Indoor Climate Labelling. A product with this labelling has undergone extensive degassing and odour tests. This ensures that there are no chemical substances in the flooring which adversely affect the air quality in the room.

Junckers also complies with REACH (Registration, Evaluation, Authorisation and restriction of Chemicals), REACH is an EU legislation containing a uniform set of rules and shared registration of substances used. The objective of the REACH regulation is to implement a high level of protection for human health and the environment.

Dark ash is an extremely elegant wood in high demand for flooring as well as interior design in general. The white pigmented surface adds Nordic elegance while enhancing the lively structure of the wood.



Dark Ash Nordic

the
Plank Collection

Nordic Light Ash

Light ash has a very fine, light expression with a characteristic grain structure. Over time it attains a golden tone. Ash grows naturally in mixed wood forests.





Dark Ash is very characteristic due to the distinct graining created by the nut-brown heartwood and the light parts of the wood – reminiscent of zebra wood.




Dark Ash



Oak Harmony

IBSTOCK PLACE SCHOOL, LONDON





MADE IN BEDFORD

Bedford's first factory, the first to be built in Bedford since the 18th century, was the first to be built in Bedford since the 18th century.

Bedford's first factory, the first to be built in Bedford since the 18th century, was the first to be built in Bedford since the 18th century.

Bedford's first factory, the first to be built in Bedford since the 18th century, was the first to be built in Bedford since the 18th century.

"I worked at the Herts factory 1 year in August 1954. In September I started to go to work there. There was no Italian interpreter I worked on the screws, chocolate jellies, with the machines and getting the sweets in boxes. The work was not difficult, the language it was."

A CHANGING BEDFORD

A Changing Bedford

A Changing Bedford

A Changing Bedford

SOMEWHERE IN ENGLAND

Someplace in England


Someplace in England



Text describing the dome structure, possibly related to the Herts factory or a related industrial site.



Text describing the industrial building, possibly related to the Herts factory or a related industrial site.





Nordic Oak Boulevard
AEROVILLE MALL, FRANCE

Oak Boulevard


Oak is extremely tough, durable and forgiving, making the wood exceptionally well suited to flooring. The structure is distinct in golden nuances and ages gracefully to a deeper glow.



WEXFORD COUNTY COUNCIL, ENGLAND
Fotographer: Andrew Lee



Black Oak was originally a natural product of the forest – yet it was no tree. In former days black oak occurred when an oak trunk had rested a few hundred years in marshland. A natural process turned the wood black. Junckers has recreated the distinct, exclusive expression through a unique full thickness vacuum dyeing process.



Black Oak

AMPHITHEATER "SALLE 3000", FRANCE





Black Oak Boulevard





Driftwood Grey, Oak Harmony



Vista Grey, Oak Harmony

Pearl is achieved by adding a grey pearl wash with reflective qualities to the surface of European white oak.



Oak Golden Pearl
KAUST INVESTMENT WASHINGTON, USA





Oak Silver Pearl

27




The extra wide planks
185 mm - bring an exclusive feel
to any room.

Oak Boulevard Natural Pearl



Driftwood Grey Oak Plank
PRITZELS FACTORY - OFFICE, DENMARK



Textured Oak

Junckers unique brushed planks add texture to the floor, pleasing to look at and to touch. Via a special, hard brushing technique the soft wood is removed from the surface of the planks, leaving the grain more prominent. Textured oak can be combined with a number of striking surface treatments and colours from the design collection, to enhance the structure of the wood even more.



Oak Plank RawSugar & WildHazel
GALERIA MOKOTOW, POLAND



Oak Plank Natural Pearl
SWINDON SHOPPING MALL, ENGLAND



Textured Black Oak Plank Mountain Silver



Designing your space with Junckers

A solid wide board floor from Junckers is an investment that is likely to add permanent value to any building, but most importantly, it should enhance your space and everyday life. It adds pleasure yet be out of mind. To achieve a result that matches your dreams in terms of both design and functionality, you need to get a number of details right. Simply draw us into your project, the earlier the better. We will be happy to share from our extensive third-generation experience and technical knowledge and assist you closely through the phases of design, technical detailing, installation and maintenance. That way you can avoid costly pitfalls and enjoy all the benefits of an exceptional Junckers floor – year after year after year.

Oak Nordic Plank Variation
WHO DRESSES WHO, DENMARK

Select your style

31

No two trees are the same. No two cuts. No two planks. Each plays its own lyrical tune, composed by weather, seasons and forest wildlife for the best part of a century. That's the very charm and challenge of working with wood. A Junckers floor will be just your floor. No copies.


JUNCKERS WOOD CHARACTER OPTIONS

Junckers can deliver most floors in a choice of three grades:




CLASSIC

A very even colour and uniform appearance



HARMONY

A natural appearance with more colour and grain variation



VARIATION

A rustic look with lots of graining and colour variation

Prefinished from the factory

Junckers floors are normally delivered prefinished with oil or lacquer and are ready for immediate use. Or you can choose a raw surface if you prefer to treat your floor yourself after installation.

Oil Junckers oiled floors enhance the natural glow of the wood and provide a naturally soft, authentic surface that is both durable and easy to maintain.

Silk matt lacquer Junckers silk matt lacquered floors enhance the glow of the wood and provide a strong and highly durable, easy-to-clean surface, suitable for the busy family or high-traffic areas.

Ultramatt lacquer Junckers ultramatt lacquered floors combine a very natural matt appearance with the highly durable, easy-to-clean surface.

Untreated The raw surface of the wood requires treatment with one of Junckers professional oils or varnishes before use. Our products are water-based, easy to use and gentle on the environment.




Oak Harmony
THE BÁLNA MALL, HUNGARY


THE INVISIBLE LUXURY OF UNDERFLOOR HEATING



A traditional radiator circulates the air so that the floor remains cold, while a "heat cushion" gathers under the ceiling.



Underfloor heating provides a warm floor and a pleasant temperature at head height with no "heat cushion" under the ceiling.



Design freedom without pipes and heaters

Underfloor heating is an economical, luxurious and very elegant solution without visible pipes and heaters. It works to perfection under Junckers floors because, unlike tiles and stone, solid wood is naturally warm and pleasant, whether or not the heating is on. The result is not only a treat under bare feet, but also a comfortable, even room temperature.

Water-based underfloor heating is generally suited for residential and commercial buildings, while electrical systems are ideal for minor renovations. The unique Junckers Clip System enables the Junckers floor to be floated over most modern underfloor heating systems, fitted within a screed subfloor. Alternatively, the underfloor heating system can be placed between battens or joists with the Junckers boards nailed over the top.

Junckers ships decking

Wood is a living material that changes slightly with the seasons. During summer periods of high humidity the floorboards will expand a little, just as they will contract during winter and dryer seasons, leaving small, natural gaps between them. This is the innate character of wood. However, applying Junckers Ship's Decking System, neoprene strips between the boards will absorb the movements so that the floor will look the same all year round. More than that, the visible neoprene strips will enhance each board to create a spectacularly elegant floor that will appear equally harmonious and robust. Whatever the season, let your mind wander to warmer days at the beach.

Light Ash Ships Decking

3 easy ways of installation

All you need is free space

Junckers solid wooden floors are fast and easy to install. The laying method depends on the existing or planned conditions, the sub floor plus your wishes for height, underfloor heating, hidden cables and pipes, etc. Basically, if you have the free space, we have an easy way to lay your floor.

Clip System

» quick, easy and shallow in elevation

Junckers unique Clip System enables a floating floor to be fitted directly onto a screeded or wooden base, without the need for battens. This laying method works perfectly with underfloor heating and is excellent for reducing impact sound into rooms below.

Glued floor

» robust sound and feel

Junckers floors can be glued down to any base including screed, and wooden materials using the unique, environmentally friendly Junckers Parquet Glue. Based on silicone, the glue also serves as a moisture membrane. A glued floor provides a very robust, solid feel, reducing the sound underfoot within the room and gives you a free hand in making creative patterns in the floor.

Battens

» strong installation

Our 20.5 mm floors are structurally strong. They can be nailed to battens and joists to level out the floor and gives plenty of space for pipes, cables, insulation, underfloor heating and other technical requirements to be placed underneath the floorboards.

The perfect finish



Oak Plank
HEATHROW AIRPORT, ENGLAND



Junckers Woodcare System

includes a complete range of products for treating and maintaining your wooden floors and over time, you can watch your floors grow more beautiful.

Junckers daily care

A Junckers floor is easy to clean thanks to the high quality and professional finish. Sweeping or vacuum cleaning your floor will get rid of most dust and dirt. To clean a stained floor, damp cleaning usually does the trick. To keep your floors looking stunning, use Junckers professional clean and care products, designed to nourish and maintain the wood while you clean.

Junckers oils and lacquers

If you have chosen a pre-finished Junckers floor, you can start using it straight after installation. With raw planks, you will need to treat the surface first. Using Junckers professional series of oils and lacquers you can create the exact look and surface quality you wish. Use a discreet finish to let the wood speak for itself or add a surprising effect or colour to achieve a distinct look. Junckers oils and lacquers are all easy to use and produce a professional and durable result. Should you ever have a change of heart, our thick, solid planks can be sanded again and again, allowing you to redesign the look of your floor whenever you want.

LISEN &

JUNCKERS INDUSTRIES A/S

Værftsvej 4
DK-4600 Køge
Denmark

Tlf. +45 7080 3000
www.junckers.com
junckers@junckers.com

