



5100

hand-drawn

for light, medium- and heavy-weight curtains



**Stylish track with
abundant possibilities**





5100

hand-drawn stylish & versatile

The Goelst 5100 track combines the looks of a classic curtain pole with the comfort of a high-quality curtain rail. The curtains glide smoothly virtually without sound. It can be easily mounted in various ways on a wall or ceiling. A very popular track that can be used in a wide variety of situations, such as private homes, but also in office buildings and in the care sector.

- The ideal track for lightweight, medium-heavy or heavy curtains.
- Easy to bend and exceptional quality.
- Can be forward or reverse bent in different radii.
- Compatible with the Goelst Flow System for regularly pleated curtains.
- Silent and smooth running, also round bends.
- Compatible with LRS gliders.



Standard colours




High quality, wear-resistant coating, highly colourfast, UV-resistant.
Other RAL colours & special coatings on request.

Features

Material:	aluminium
Colour:	white, natural anodised, black
Dimensions:	26 x 28 mm
Weight profile:	522 gr/m ¹
Mounting:	wall or ceiling

Profile specifications

Aluminium profile:



Colours with RAL code and lengths (m):

	RAL	4	5	6	7
white	9010		•	•	•
natural			•	•	•
black	9005			•	

Mounting surface:

- wood
- masonry/concrete

Bracket type:

- ceiling bracket
- wall bracket
- spacer bracket

Bending:

bending radius	bending tool
R 15 cm	1015
R 25 cm	1015
R > 100 cm	1018


Flow

The Goelst Flow System keeps pleats in curtains consistent. It can be used with small and wide channel tracks and, because of the broad assortment of components, it can be integrated in hand-drawn, cord-pulled and electrically operated systems.


The Flow System can also be used with curved curtain tracks. For further information, see the Flow product data sheet.




Mounting




Wall mounting 5100 with ceiling bracket 5135



Wall mounting 5100 with mini suspension hanger 4254



Wall mounting with adjustable extension bracket 4217-101, bracket can be cut back to x = 50mm



Wall mounting 5100 with wall support 5149

Mounting guideline




The distance between the brackets can vary depending on the following factors: the mounting surface (wood, concrete or plaster), the weight of the curtains and the curtain fabric production method, the specific application and the system usage intensity. General advice: with the curtains open, place additional brackets where the pleats bunch together. Also place additional brackets before and after bends.



Application example

Thanks to the projection of glider 6010, a heading can be created when using a rounded rail, without the rail tilting the top part of the curtain.




Heading with projection
glider 6010
width 15 mm

Without heading
with glider 4010
width 10 mm

Combination example

Combination example of the 4200 and 5100 with extension bracket 4217-202. A return has been created with the help of corner connections 4048-10 and 4048-08-Z0.



Specification guide

Material


- Aluminium EN AW-6060-T66.
- Anodised in accordance with the Qualanod standard.
- Powder coated in accordance with the Qualicoat standard.

Standard parts

Curtain transport




4001
end stop
white / grey / black



4010
glider
white / grey / black

Mounting




5135
ceiling bracket
white / natural
metallic / black

Accessories




5153
end cap
white / grey / black



5152
connecting bridge
natural

Optional parts

Curtain transport



2004
brake glider
white / grey / black



4001-M-N
end stop metal with
eye natural



4002
end stop metal



4003
spring stop plastic
requires punch hole
white



4007
rotating glider white/
grey / silver / black



4007-LRS
rotating glider LRS
grijs / rotating glider
LRS red



4010-50
glider white with
plastic hook 2023




4012
click-in glider white




4020
heavy duty glider
white / grey / black



4030
roller
white / black



4074-1000
carrier with
overlap, a.o. for
draw rod
white / natural
metallic / black



4075-1000
carrier without
overlap, a.o. for
draw rod white /
natural metallic /
black



6010
projection glider
white / grey /
black



2020
double hook
white



2021
G-Hook white




2022
curtain hook
white



2023
curtain hook
white




2024-55
adjustable sew
in hook white
55mm



2024-95
adjustable sew
in hook white
95mm

Mounting




4254
mini suspension
hanger 3cm white /
natural / zwart




5149
wall bracket
white / grey



5140
wall bracket
white / grey



5115
extension bracket
5, 7.5, 10, 15 cm
white / natural
metallic / black



4217
adj.ext. bracket
10 cm, 1 hole
20 cm, 1 hole
20 cm, 2 holes
white / natural
metallic / black

Accessories



5153-A
end cap aluminium
white / natural metallic
/ black



4048-10MM
corner connection



7399
plexiglass draw rod
transparent



Goelst UK Ltd

Crimple Court | Hornbeam Park | Harrogate | HG2 8PB
Tel 01423 873002 | Fax 01423 874006 | info@goelstuk.com | www.goelst.co.uk