

Digital Showers

Modern technology, timeless design





Creating the ultimate shower experience

Why should you choose a digital shower? From sophisticated controls to carefully considered design, there are so many reasons.

We strive to create inspiring designs for exquisite bathrooms, and the digital shower is our latest innovation. With precise temperature technology and beautiful high-quality designs, the Bathroom Brands digital shower makes safety, simplicity, and sophistication integral to your everyday routine.

Our selection of premium product options enables you to create a showering experience individual to you and your home. Choose between single and dual shower and bath fill controls with either contemporary or classic trims, then combine with stunning fixtures from our range to achieve your ideal look. Introduce a final touch of elegance with the digital remote, a unique additional control that allows you to smoothly turn on the water and divert the flow before you even enter the shower.

Explore the benefits and key features in more detail over the following pages.

Creative solutions, intuitive features

Discover the difference modern technology can make. Our digital showers offer total safety and easy installation and maintenance, with simple push button controls both inside and outside the shower.

Precise temperature

Sophisticated technology gives you accurate control of the water temperature.

Easy divert

Divert the flow quickly and easily with just a few touches. Press the lower control once to divert from the main showerhead to the second, and again to run both at once. On the dual bath and shower, press once to switch to showerhead, and a second time to return to bath flow.

Installation

Luxury doesn't have to be complicated. Push-fit isolation valves, a standard electrical plug fitting and easy to set up cable connections make your plumber's job simpler.



Cool-touch metal controls

Shower controls are kept completely separate from the water in the valve, which means they always stay cool and safe to touch.

Colour-changing controls

The controls gently pulse white as the water reaches your set temperature, while a subtle, white glow lets you know the shower's ready. When you adjust the temperature the controls flash red or blue as the water heats up or cools down.

Temperature override

Each digital processor has a pre-set maximum temperature of 41°C, which can be overridden and adjusted to 46°C. As bath temperatures are usually higher, when you divert to the bath outlet the maximum temperature will automatically rise to 44°C.



Flexible options

Choose from single showerhead, multiple showerhead and bath filler options. There is a solution for every bathroom.

Consistent temperature

A built-in thermistor checks the temperature 10 times every second so that, even when someone is using water elsewhere in the house, the water temperature will stay exactly the same.

Automatic shut off

If there are any problems with your water supply, the shower will shut off immediately. This provides peace of mind that your family are fully protected from hot water scalding, or the discomfort of an unexpected cold shower.

Quiet pump

For low-pressure installations the digital shower features an ultra quiet, integrated brushless motor, boosting performance to allow high-pressure showering with minimum noise.

Remote control (optional)

Fit an optional remote control anywhere outside of the shower enclosure and within 10 metres of the digital shower. Simply press the button to turn the shower on or off, or press and hold for 1.5 seconds to divert the water flow between showerheads, or bath and shower.

Cleaning mode

While the shower is off, set the temperature to midway between hot and cold, then press and hold the dial for 5 seconds. The light on the controller will come on to show you it's locked, then after one minute it will automatically unlock.





Created with safety and comfort in mind

*Simple, intuitive controls
and enhanced safety features
let you enjoy every minute.*

Featuring an intuitive automatic shut-off system and sophisticated technology that prevents sudden surges of hot or cold water, our digital shower offers you the peace of mind you need to relax. The opposite page shows our Contemporary 2025 range but our Classic 1910 range operates in the same way.

White

Turn your shower on by pressing the control dial and see the controls flash white as the water reaches your set temperature. When the water's just right, the controls will give a subtle white glow.

Red

Precise controls let you adjust the temperature as you shower – turn the temperature up and the control will flash red.

Blue

Turn the temperature down using the in-shower controls and the light will flash blue as the water cools.

Designs as beautiful as they are functional

Elegant, premium-quality designs blend discreetly and effortlessly into any bathroom.

Whether your bathroom is traditional or modern, the clean designs and tasteful finishes complement the look and feel of any bathroom and exude understated luxury.

Choose between two trims: the understated, minimalist Contemporary 2025 or beautiful Classic 1910, both of which are designed in metal and chrome.



Classic 1910 range

Make a statement with our Classic 1910 style, designed to look perfectly at home in traditional bathrooms. This luxurious trim combines elegant lever and cross handles and is finished with touches of ceramic.



**Dual Outlet
(Shower / Shower)**

Finish:	Chrome
Dimensions w/h:	112 x 208mm
High Pressure Code: TK12	£739.00
Low Pressure (Pumped) Code: TK13	£846.00



**Dual Outlet
(Bath / Shower)**

Finish:	Chrome
Dimensions w/h:	112 x 208mm
High Pressure Code: TK14	£739.00
Low Pressure (Pumped) Code: TK15	£846.00



Single Outlet

Finish:	Chrome
Dimensions w/h:	95 x 95mm
High Pressure Code: TK10	£619.00
Low Pressure (Pumped) Code: TK11	£769.00



**Remote Control
(Optional)**

Finish:	Chrome
Dimensions w/h:	95 x 95mm
Code: TK5	£189.00

All prices include VAT at 20%



Classic 1910 Dual Outlet (Bath/Shower) high-pressure set with wall arm, 9" Air Burst Showerhead and Xofill £1059 and Classic Remote Control £189

Classic 1910 shower sets

Our shower sets package together everything you need, making buying your new shower easier and more affordable.

Classic 1910 Single Outlet Set

Single Outlet Digital Processor
Traditional Trim Kit
Wall Arm
9" Air Burst Showerhead

High Pressure
Code: TK1M £799.00

Low Pressure (Pumped)
Code: TK6M £949.00

Remote Control (Optional)
To add the remote control to the set add code: TK5 +£189.00

Minimum pressure required for high-pressure installation 0.5 bar. Minimum pressure required for low-pressure pumped installation 0.1 bar.



Remote Control (Optional)

Set Options

To upgrade the set, replace the code above with the code for your choice of product from the list below.



9" Air Burst Showerhead

Ceiling Arm
High Pressure: TK1CM £799.00
Low Pressure: TK6CM £949.00



6" Air Burst Showerhead

Wall Arm
High Pressure: TK1S £749.00
Low Pressure: TK6S £899.00



12" Air Burst Showerhead

Wall arm
High Pressure: TK1L £829.00
Low Pressure: TK6L £979.00

Ceiling Arm
High Pressure: TK1CL £829.00
Low Pressure: TK6CL £979.00

All prices include VAT at 20%

Classic 1910 Single Outlet Set

Single Outlet Digital Processor
Traditional Trim Kit
Traditional Slide Bar Kit

High Pressure
Code: TK2 £749.00

Low Pressure (Pumped)
Code: TK7 £899.00

Remote Control (Optional)
To add the remote control to the set add code: TK5 +£189.00

Minimum pressure required for high-pressure installation 0.5 bar. Minimum pressure required for low-pressure pumped installation 0.1 bar.

Set Options

To upgrade the set, replace the code above with the code for your choice of product from the list below.



Soap Basket for Slide Bar

High Pressure: TK2B £784.00
Low Pressure: TK7B £934.00



Cradle
Add Code: V24 +£45.00



Remote Control (Optional)

All prices include VAT at 20%

Classic 1910
Dual Outlet Set

Dual Outlet Digital Processor
Traditional Trim Kit
Wall Arm
9" Air Burst Showerhead
Traditional Slide Bar Kit

High Pressure Code: TK3M	£1049.00
-----------------------------	----------

Low Pressure (Pumped) Code: TK8M	£1156.00
-------------------------------------	----------

Remote Control (Optional) To add the remote control to the set add code: TK5	+£189.00
--	----------

Minimum pressure required for high-pressure
installation 0.5 bar. Minimum pressure required
for low-pressure pumped installation 0.1 bar.

Set Options

To upgrade the set, replace the code
above with the code for your choice of
product from the list below.



9" Air Burst Showerhead	
Ceiling Arm	
High Pressure: TK3CM	£1049.00
Low Pressure: TK8CM	£1156.00



6" Air Burst Showerhead	
Wall Arm	
High Pressure: TK3S	£999.00
Low Pressure: TK8S	£1106.00

Ceiling Arm	
High Pressure: TK3CS	£999.00
Low Pressure: TK8CS	£1106.00



12" Air Burst Showerhead	
Wall Arm	
High Pressure: TK3L	£1079.00
Low Pressure: TK8L	£1186.00

Ceiling Arm	
High Pressure: TK3CL	£1079.00
Low Pressure: TK8CL	£1186.00



Cradle Add Code: V24	+£45.00
-------------------------	---------



Remote Control
(Optional)

All prices include VAT at 20%

Classic 1910
Dual Outlet Set

Dual Outlet Digital Processor
Traditional Trim Kit
Wall Arm
9" Air Burst Showerhead
Traditional Slide Bar Kit
Soap Basket for Slide Bar

High Pressure Code: TK3MB	£1084.00
------------------------------	----------

Low Pressure (Pumped) Code: TK8MB	£1191.00
--------------------------------------	----------

Remote Control (Optional) To add the remote control to the set add code: TK5	+£189.00
--	----------

Minimum pressure required for high-pressure
installation 0.5 bar. Minimum pressure required
for low-pressure pumped installation 0.1 bar.

Set Options

To upgrade the set, replace the code
above with the code for your choice of
product from the list below.



9" Air Burst Showerhead	
Ceiling Arm	
High Pressure: TK3CMB	£1084.00
Low Pressure: TK8CMB	£1191.00



6" Air Burst Showerhead	
Wall Arm	
High Pressure: TK3SB	£1034.00
Low Pressure: TK8SB	£1141.00

Ceiling Arm	
High Pressure: TK3CSB	£1034.00
Low Pressure: TK8CSB	£1141.00



12" Air Burst Showerhead	
Wall Arm	
High Pressure: TK3LB	£1114.00
Low Pressure: TK8LB	£1221.00

Ceiling Arm	
High Pressure: TK3CLB	£1114.00
Low Pressure: TK8CLB	£1221.00



Cradle Add Code: V24	+£45.00
-------------------------	---------



Remote Control
(Optional)

All prices include VAT at 20%

Classic 1910
Dual Outlet Set

Dual Outlet Digital Processor
Traditional Trim Kit
Wall Arm
9" Air Burst Showerhead
Handspray Kit (including shower hook, telephone handset & hose and 1/2" outlet elbow)

High Pressure Code: TK3MH	£1029.00
------------------------------	----------

Low Pressure (Pumped) Code: TK8MH	£1136.00
--------------------------------------	----------

Remote Control (Optional) To add the remote control to the set add code: TK5	+£189.00
--	----------

Minimum pressure required for high-pressure installation 0.5 bar. Minimum pressure required for low-pressure pumped installation 0.1 bar.

Set Options

To upgrade the set, replace the code above with the code for your choice of product from the list below.



9" Air Burst Showerhead

Ceiling Arm	
High Pressure: TK3CMH	£1029.00
Low Pressure: TK8CMH	£1136.00



6" Air Burst Showerhead

Wall Arm	
High Pressure: TK3SH	£979.00
Low Pressure: TK8SH	£1086.00

Ceiling Arm	
High Pressure: TK3CSH	£979.00
Low Pressure: TK8CSH	£1086.00



12" Air Burst Showerhead

Wall Arm	
High Pressure: TK3LH	£1059.00
Low Pressure: TK8LH	£1166.00

Ceiling Arm	
High Pressure: TK3CLH	£1059.00
Low Pressure: TK8CLH	£1166.00



Cradle
Add Code: V24 +£45.00



All prices include VAT at 20%

Classic 1910
Bath Shower Set

Dual Outlet Digital Processor
Traditional Trim Kit
Wall Arm
9" Air Burst Showerhead
Xofill (Bath waste with bath filler)

High Pressure Code: TK4M	£1059.00
-----------------------------	----------

Low Pressure (Pumped) Code: TK9M	£1166.00
-------------------------------------	----------

Remote Control (Optional) To add the remote control to the set add code: TK5	+£189.00
--	----------

Minimum pressure required for high-pressure installation 0.5 bar. Minimum pressure required for low-pressure pumped installation 0.1 bar.



Set Options

To upgrade the set, replace the code above with the code for your choice of product from the list below.



9" Air Burst Showerhead

Ceiling Arm	
High Pressure: TK4CM	£1059.00
Low Pressure: TK9CM	£1166.00



6" Air Burst Showerhead

Wall Arm	
High Pressure: TK4S	£1009.00
Low Pressure: TK9S	£1116.00

Ceiling Arm	
High Pressure: TK4CS	£1009.00
Low Pressure: TK9CS	£1116.00



12" Air Burst Showerhead

Wall Arm	
High Pressure: TK4L	£1089.00
Low Pressure: TK9L	£1196.00

Ceiling Arm	
High Pressure: TK4CL	£1089.00
Low Pressure: TK9CL	£1196.00



Classic 1910
Bath Shower Set

Dual Outlet Digital Processor
Traditional Trim Kit
Handspray Kit (including shower hook, telephone handset & hose and 1/2" outlet elbow)
Xofill (Bath waste with bath filler)

High Pressure Code: TK4H	£989.00
-----------------------------	---------

Low Pressure (Pumped) Code: TK9H	£1096.00
-------------------------------------	----------

Remote Control (Optional) To add the remote control to the set add code: TK5	+£189.00
--	----------

Minimum pressure required for high-pressure installation 0.5 bar. Minimum pressure required for low-pressure pumped installation 0.1 bar.



Remote Control
(Optional)



All prices include VAT at 20%



Contemporary 2025 range

Perfect for modern bathrooms, the Contemporary 2025 range features an understated, minimalist design, with high-quality metal controls and a chrome-plated trim.



*Dual Outlet
(Shower / Shower)*

Finish:	Chrome
Dimensions w/h:	112 x 208mm
High Pressure Code: CK12	£700.00
Low Pressure (Pumped) Code: CK13	£807.00



*Dual Outlet
(Bath / Shower)*

Finish:	Chrome
Dimensions w/h:	112 x 208mm
High Pressure Code: CK14	£700.00
Low Pressure (Pumped) Code: CK15	£807.00



Single Outlet

Finish:	Chrome
Dimensions w/h:	95 x 95mm
High Pressure Code: CK10	£560.00
Low Pressure (Pumped) Code: CK11	£710.00



*Remote Control
(Optional)*

Finish:	Chrome
Dimensions w/h:	95 x 95mm
Code: CK5	£169.00

Contemporary 2025 Single Outlet high-pressure set with Wall Arm and Round Fixed Head **£699**

All prices include VAT at 20%

Contemporary 2025 shower sets

To keep things simple, opt for one of our Contemporary 2025 shower sets. Each one pairs our digital processor with a matching shower kit to make your choice easier. It’s also a better-value option than buying the components separately.

Contemporary 2025 Single Outlet Set

Single Outlet Digital Processor	
Contemporary Trim Kit	
Wall Arm	
Round Fixed Head 200	

High Pressure	
Code: CK1	£699.00

Low Pressure (Pumped)	
Code: CK6	£849.00

Remote Control (Optional)	
To add the remote control to the set add code: CK5	+£169.00

Minimum pressure required for high-pressure installation 0.5 bar. Minimum pressure required for low-pressure pumped installation 0.1 bar.



Contemporary 2025 Single Outlet Set

Single Outlet Digital Processor	
Contemporary Trim Kit	
Contemporary Slide Bar Kit	

High Pressure	
Code: CK2	£699.00

Low Pressure (Pumped)	
Code: CK7	£849.00

Remote Control (Optional)	
To add the remote control to the set add code: CK5	+£169.00

Minimum pressure required for high-pressure installation 0.5 bar. Minimum pressure required for low-pressure pumped installation 0.1 bar.



Set Options

To upgrade the set, replace the code above with the code for your choice of product from the list below.



Round Fixed Head 200

Ceiling Arm	
High Pressure: CK1C	£699.00
Low Pressure: CK6C	£849.00



Square Fixed Head 200

Wall Arm	
High Pressure: CK1SQ	£709.00
Low Pressure: CK6SQ	£859.00

Ceiling Arm	
High Pressure: CK1CSQ	£709.00
Low Pressure: CK6CSQ	£859.00



Remote Control (Optional)



All prices include VAT at 20%



Remote Control (Optional)



All prices include VAT at 20%

Contemporary 2025 Dual Outlet Set

Dual Outlet Digital Processor
Contemporary Trim Kit
Wall Arm
Round Fixed Head 200
Contemporary Slide Bar Kit

High Pressure Code: CK3	£978.00
----------------------------	---------

Low Pressure (Pumped) Code: CK8	£1085.00
------------------------------------	----------

Remote Control (Optional) To add the remote control to the set add code: CK5	+£169.00
--	----------

Minimum pressure required for high-pressure
installation 0.5 bar. Minimum pressure required
for low-pressure pumped installation 0.1 bar.

Set Options

To upgrade the set, replace the code
above with the code for your choice of
product from the list below.



Round Fixed Head 200

Ceiling Arm	
High Pressure: CK3C	£978.00
Low Pressure: CK8C	£1085.00



Square Fixed Head 200

Wall Arm	
High Pressure: CK3SQ	£988.00
Low Pressure: CK8SQ	£1095.00

Ceiling Arm	
High Pressure: CK3CSQ	£988.00
Low Pressure: CK8CSQ	£1095.00



Remote Control
(Optional)

All prices include VAT at 20%

Contemporary 2025 Dual Outlet Set

Dual Outlet Digital Processor
Contemporary Trim Kit
Wall Arm
Round Fixed Head 200
Handspray & Holder

High Pressure Code: CK3H	£978.00
-----------------------------	---------

Low Pressure (Pumped) Code: CK8H	£1085.00
-------------------------------------	----------

Remote Control (Optional) To add the remote control to the set add code: CK5	+£169.00
--	----------

Minimum pressure required for high-pressure
installation 0.5 bar. Minimum pressure required
for low-pressure pumped installation 0.1 bar.

Set Options

To upgrade the set, replace the code
above with the code for your choice of
product from the list below.



Round Fixed Head 200

Ceiling Arm	
High Pressure: CK3CH	£978.00
Low Pressure: CK8CH	£1085.00



Square Fixed Head 200
Square Handspray & Holder

Wall Arm	
High Pressure: CK3HSQ	£988.00
Low Pressure: CK8HSQ	£1095.00

Ceiling Arm	
High Pressure: CK3CHSQ	£988.00
Low Pressure: CK8CHSQ	£1095.00



Remote Control
(Optional)

All prices include VAT at 20%

Contemporary 2025 Bath Shower Set

Dual Outlet Digital Processor	
Contemporary Trim Kit	
Wall Arm	
Round Fixed Head 200	
Xofill (Bath waste with bath filler)	

High Pressure	
Code: CK4	£979.00

Low Pressure (Pumped)	
Code: CK9	£1086.00

Remote Control (Optional)	
To add the remote control to the set add code: CK5	+£169.00

Minimum pressure required for high-pressure installation 0.5 bar. Minimum pressure required for low-pressure pumped installation 0.1 bar.

Set Options

To upgrade the set, replace the code above with the code for your choice of product from the list below.



Round Fixed Head 200

Ceiling Arm	
High Pressure: CK4C	£979.00
Low Pressure: CK9C	£1086.00



Square Fixed Head 200

Wall Arm	
High Pressure: CK4SQ	£989.00
Low Pressure: CK9SQ	£1096.00

Ceiling Arm	
High Pressure: CK4CSQ	£989.00
Low Pressure: CK9CSQ	£1096.00



Remote Control (Optional)



All prices include VAT at 20%

Contemporary 2025 Bath Shower Set

Dual Outlet Digital Processor	
Contemporary Trim Kit	
Handspray & Holder	
Xofill (Bath waste with bath filler)	

High Pressure	
Code: CK4H	£979.00

Low Pressure (Pumped)	
Code: CK9H	£1086.00

Remote Control (Optional)	
To add the remote control to the set add code: CK5	+£169.00

Minimum pressure required for high-pressure installation 0.5 bar. Minimum pressure required for low-pressure pumped installation 0.1 bar.

Set Options

To upgrade the set, replace the code above with the code for your choice of product from the list below.



Square Handspray & Holder

High Pressure: CK4HSQ	£979.00
Low Pressure: CK9HSQ	£1086.00



Remote Control (Optional)



All prices include VAT at 20%

Technical details

The innovative digital processor forms the core of our digital shower, containing technology that controls and monitors the water's flow and temperature.

Brushless pump


Our low-pressure digital shower has a built-in pump that boosts the water pressure to 1.5 bar. It uses a brushless motor, which is much quieter and more efficient than conventional brushed motors.

Solenoid valves

If the hot or cold water supply stops, or there's a power failure, the solenoid valves will shut off the flow instantly, offering total peace of mind.

Push-fit isolation valves

The hot and cold water isolation valves allow you to isolate your water supply without having to switch it off at the mains. The product has been designed to make maintenance as easy as possible.



Temperature thermistor

The built-in thermistor monitors the temperature of incoming water 10 times every second, ensuring it's constantly as close as possible to the set temperature.

Flühs ceramic cartridge





The highly reliable Flühs ceramic cartridge lies at the heart of the processor. It's controlled by a stepper motor, and automatically mixes the hot and cold water.

Push-fit electrics


Simple, push-fit twist and lock electrical cables ensure there is no need to go inside the digital processor to set up the shower. It also makes maintenance a simple task.

Dimensions


There may be times when you or your plumber needs to know the exact size of the digital processor, so we've added dimensions for each model below.




*Single outlet digital processor
for high-pressure installations*




*Single outlet pumped digital
processor for low-pressure installations*



*Dual outlet digital processor
for high-pressure installations**



*Dual outlet pumped digital
processor for low-pressure installations**




*For both shower/shower and bath/shower processor dimensions.

Installation

The digital processor can be installed in a few different locations depending on the layout of your bathroom and your own preferences. Whatever you choose, it will be discreetly hidden out of sight. The processor can be fitted up to 10 metres away from the control unit.

Loft installation


This layout is ideal if you have loft space directly above your bathroom.



- Pipework Out (Mixed Water)
- Pipework In (Cold)
- Pipework In (Hot)
- Controller Cable

Under-bath installation


If you have an over-bath shower, there may be space to hide the processor behind the bath panel.



- Pipework Out (Mixed Water)
- Pipework In (Cold)
- Pipework In (Hot)
- Controller Cable

Cupboard installation

The digital processor and power cables can be concealed in an adjacent cupboard.



- Pipework Out (Mixed Water)
- Pipework In (Cold)
- Pipework In (Hot)
- Controller Cable



Water pressure

Our high-pressure digital showers require a minimum water pressure of 0.5 bar, which we class as medium pressure. If you have a gravity-fed system we recommend our pumped low-pressure digital shower, which includes a pump to increase the pressure. The minimum pressure required for the low pressure installation is 0.1 bar.

To learn more, email our technical team at digital@bathroombrands.com

Accreditation and testing

At Bathroom Brands, we demand the highest standards. Our digital shower has been designed using the best materials, working with skilled engineers and designers who share our commitment to quality. All digital showers are rigorously tested to the highest standards. Our digital products comply with electrical safety standards BSEN60335-1 : 2002 and BSEN60335-2-41 : 2003, and thermostatic performance BSEN1111 and BSEN1287, and have been fully approved by WRAS and conform to TMV2 ensuring we bring you the best and safest products we can.



5-year guarantee

All Bathroom Brands digital shower products are rigorously tested before they leave our factory and come with a 5-year guarantee. This guarantee, however, does not cover any damage during fitting, misuse or inappropriate cleaning. Additionally, shower hoses are only covered for one year. If you'd like to know more about the terms of our guarantee, visit the website.



Bathroom Brands Group,
Lake View House,
Rennie Drive,
Dartford,
Kent DA1 5FU

bathroombrandsdigital.com

Sales:
info@bathroombrands.com
Tel: +44 (0)1322 473222

Digital Technical Support:
digital@bathroombrands.com
Tel: 0345 241 1195

Due to continuous product improvements we reserve the right to change the product specification without prior notice. The text, images and layout of this catalogue are protected by copyright and other intellectual property rights.

All images within this brochure are, where possible, a true representation of our products. Some colours may vary. Please visit the website for more information.

Our website should be used as reference for the most up to date product specification.

November 2016