



THE
INFINITY
COLLECTION


Designed The Infinity Collection presents a range of sophisticated, slimline accessories. Our craftsmen have precision engineered a simple, screwless design with a neat wall-mounting grid enables plates and interiors to be clipped into place after decorating, for a clean, high quality finish.





Socket outlets

All 13Amp socket interiors are moulded from polycarbonate. Switched socket outlets have double insulated rockers. Red interiors are available for special applications. All units will fit metal boxes to BS4662 with a minimum depth of 35mm. Non-standard and isolated earth sockets and switched sockets are available on request. 2 and 5Amp sockets are designed to BS546 and have polycarbonate moulded interiors. Available in the range of finishes shown on page 83.



13Amp socket outlets			
Plate	P923	P925	P924
Interior:			
Rear entry single pole (switched)	A923	A925	–
Rear entry single pole, dual Earth	–	–	A924/D
Box Flush (metal)	1702	1702	1703

Plug Tops, part No 40, available in White (W), Black (B) and Red (R).



2Amp socket outlet
(unswitched)



5Amp socket outlet
(unswitched)




Plate	P921	P922
Interior	A921	A922
Box Flush (metal)	1702	1702

To order plug tops please use part number 190 for 2Amp and part number 3001 for 5Amp. Available in White (W) only.

American socket outlet

American type socket outlets: 2 pole 3 wire grounding 15Amp 125V, NEMA line 5-15R. Only available with brown (BW) interiors. Available in the range of finishes shown on page 83.




American socket outlet		
Plate	P947	P948
Interiors	A947	A948
Box Flush (metal)	1702	1703



Shaver supply unit

Dual Voltage: 115V – 230V output. Designed to BSEN61558. Accepts UK, European, USA and Australian shaver plugs. Interiors available in black (B) or white (W) only.




Shaver supply unit	
Plate	P939
Interior	A939
Box	1733





Switch/modular plates

The cover plates conceal all fixing screws and the range is available in the finishes shown on page 11, with complementary switch rockers and interiors. As with all Wandsworth accessories which fit metal boxes to BS4662 they have adjustable grids which facilitate alignment. Minimum box depth – 25mm where switch can be de-rated to 10Amps. Available in the range of finishes shown on page 83.



Switch plates & grids


Plate	P901	P902	P903	P904
Grid (Plastic Moulded)	G901	G902	G903	G904
Grid (Metal)*	G981	G982	G983	G984
Box Flush (metal)	1702	1702	1703	1703

* Metal grids are required for use with modular interior outlets.

Switch/Modular interiors


Rocker switches are manufactured from brass, aluminium or plastic, finished to either complement or match the cover plates. Neons are available in red with white, black or red trim, or green with white or black trim. Key switches are white or black. Red interiors are available for special applications such as essential supply, etc. Alternative colour combinations can be supplied to order. Due to the grid mounting nature of the product range it is possible to mix any combination of plate finish with interior finish. It is recommended that samples are viewed before specifying. All switches are rated at 250V 20Amps except cat No. 15 & 17 which are rated at 6Amp.

Rocker switches



Unit	Switch	Switch	Switch	Switch	Switch	Switch	Switch	Wireless Switch**
Type	1 way	2 way	Double pole	Intermediate	2 way & off	6Amp retractive push-to-make/	6Amp retractive push-to-break	RF switch
Reference	10	11	12	13	14	15	17	Pulse10

Modular interior



Unit	Blank	Neon	Neon	Key switch	Key switch	Key switch	Key switch	Spare key*
Type	Dummy	Red	Green	1 way	2 way	Double pole	Intermediate	–
Reference	18	19/R	19/GR/B	20	21	22	23	24


*Key switches are supplied with one key. **For further information on Pulse wireless switch please see page 78.

Modular interiors outlets

The range has been cleverly designed to allow bespoke outlet arrangement without the need for a specially designed custom unit. For example Data, Voice and AV outlets can be matched together using metal grids with the switch plates.


BT Telecom Master

3706011	White	<input type="checkbox"/>
3706012	Black	<input checked="" type="checkbox"/>



CAT 6A STP RJ45

3706039	White	<input type="checkbox"/>
3706040	Black	<input checked="" type="checkbox"/>




Audio Phono Outlet

3706061	White	<input type="checkbox"/>
3706062	Black	<input checked="" type="checkbox"/>



BT Telecom Secondary

3706013	White	<input type="checkbox"/>
3706014	Black	<input checked="" type="checkbox"/>




RJ12

3706043	White	<input type="checkbox"/>
3706044	Black	<input checked="" type="checkbox"/>




SVGA Outlet

3706065	White	<input type="checkbox"/>
3706066	Black	<input checked="" type="checkbox"/>



ADSL filtered BT Tel Master

3706015	White	<input type="checkbox"/>
3706016	Black	<input checked="" type="checkbox"/>



I.E.C Female

3706051	White	<input type="checkbox"/>
3706052	Black	<input checked="" type="checkbox"/>



3.5mm Audio Jack

3706073	White	<input type="checkbox"/>
3706074	Black	<input checked="" type="checkbox"/>




Cat 6 STP RJ45

3706029	White	<input type="checkbox"/>
3706030	Black	<input checked="" type="checkbox"/>




Single “F” Type Connector

3706053	White	<input type="checkbox"/>
3706054	Black	<input checked="" type="checkbox"/>



Twin “F” Type Connector

3706081	White	<input type="checkbox"/>
3706082	Black	<input checked="" type="checkbox"/>




Cat 5E RJ45

3706033	White	<input type="checkbox"/>
3706034	Black	<input checked="" type="checkbox"/>




Blank Plate

3706055	White	<input type="checkbox"/>
3706056	Black	<input checked="" type="checkbox"/>




USB Charger*

3890005	White	<input type="checkbox"/>
3890006	Black	<input checked="" type="checkbox"/>




Cat 6 RJ45

3706035	White	<input type="checkbox"/>
3706036	Black	<input checked="" type="checkbox"/>



HDMI Outlet

3706057	White	<input type="checkbox"/>
3706058	Black	<input checked="" type="checkbox"/>




Cat 6 UTP RJ45

3706037	White	<input type="checkbox"/>
3706038	Black	<input checked="" type="checkbox"/>



Speaker Outlet

3706059	White	<input type="checkbox"/>
3706060	Black	<input checked="" type="checkbox"/>



* Due to the design, it is not possible to fit these two units adjacent to each other in the following plates/grids: P402, G402.



Dimmers

Rotary dimmers, suitable for use with tungsten lighting are push on/push off switch dimmers which act at any pre-selected brightness setting. They have two-way switching that may be used with a normal two-way switch elsewhere. Complementary control knobs are supplied with the cover plates. Available in the range of finishes shown on page 83.

Note: Single section plates should not exceed 500 watts tungsten dimming load. Twin section plates should not exceed 1000 watts tungsten dimming load. Failure to comply with this may result in overheating of dimmer modules. Note that transformers supplying low voltage lamps should be dimmable electronic transformers such as those manufactured by Mode.



Dimmer plates		
Plate Assembly & Knob	P971	P972
Grids	G911	G912
Module – 240V lamps	324	2 x 324
	325	2 x 325
Box Flush (Metal)	1702	1703



Dimmer plates			
Plate Assembly & Knob	P918	P919	P920
Grids	G918	G919	G920
Module – 240V lamps	2 x 324	3 x 324	4 x 324
	1702	1703	1703



Dimmer module		
Module – 240V lamps	324	325
Rating	40-250 Watt Tungsten	60-400 Watt Tungsten
Description	Interior	Interior

Note: Transformers supplying low voltage should be dimmable electronic transformers such as those manufactured by Mode.

45Amp double pole switch

45Amp Double pole cooker switches are available as twin or single gang units complete with amber neon indicator. For plate/switch finish, please see page 83. See page 88 for box dimensions.




45Amp double pole switch		
Plate	P934	P937
Interior	A934	A937
Box Flush (metal)	1732	1733



Blank plates

For plate/switch finish combinations, please see page 83. See page 88 for box dimensions.




Blank		
Plate	P915	P916
Grid	G915	G916
Box Flush (metal)	1702	1703



Fan isolator unit

For plate/switch finish combinations, please see page 83.



Fan isolator unit	
Plate	P9990
Interiors	A9990
Box Flush (metal)	1702

The 3 pole 10Amp Fan isolator units complies to BSEN60947-2.




Euro mod plates

We supply Euromod plates in a variety of finishes, allowing you to match your data outlet plates to all other accessory fittings throughout your property.



Euro mod switch plates & grids

Plate assembly	3EU1	3EU2	3EU4
Boxes:			
Flush (metal)	1702	1702	1703
Surface (metal)	1131	1131	1134
Surface (plastic)	1132	1132	1133



Euro mod interiors

A range of Euro module outlets designed to reduce the need for multiple outlets and outlet plates. The Euro modules are interchangeable, using a simple clip in feature that allows them to fit to a grid/plate for ease of installation.

Media units	White	Black
Single IEC (Female)	304250	304251
Single IEC (Male)	304252	304253
Single F Type Connector	304254	304255
Blank 25x50mm	304256	304257
Diplexed TV/Radio (50mm x 50mm)	304258	304259
Diplexed TV/SAT (50mm x 50mm)	304260	304261
Triplexed TV/Radio/SAT (50mm x 50mm)	304262	304263
Quad TV/Radio/SAT/SAT2 (50mm x 50mm)	304264	304265
HDMI Outlet (50 x 50)	304292	304293
Blank 50 x 50mm	304294	304295

Audio units	White	Black
Twin RCA (Phono)	304278	304279
Twin Loudspeaker	304280	304281
Triple RCA (Phono)	304290	304291
Single RCA	304242	304243

Data/Comms	White	Black
BT Telephone Master	304268	304269
BT Telephone Slave	304270	304271
RJ11 Modem	304272	304273
CAT 5E RJ45	304274	304275
CAT 6 RJ45	304288	304289
Brushed Outlet (50mm x 50mm)	3992406	3992407

USB	White	Black
Twin USB Charger (50mm x 50mm)	304244	304245



Fused connection units & cable outlets

The units have a retained fuse carrier that is not removed during fuse replacement. On switched versions, the double pole switch has 3mm contact gaps for isolation. Cable outlets have a bushed hole, a cord clamp and 3 way terminal block, suitable for up to 1.5mm flexible cable. See page 88 for box details. Available in the range of finishes shown on page 83.

	Fused connection – illuminated	Fused connection – illuminated & cable outlet	Switched fuse connection & neon	Switched fuse connection & neon & C/O
Illuminated				
Plate	P901	P955	P966	P966
Interiors	A954	A956	A968	A969
Box Flush (metal)	1702	1702	1702	1702

On switched versions the double pole switch has 3mm contact gaps for insolation.

	Fused connection	Fused connection & cable outlet	Switched fuse connection	Switched fuse connection & C/O	Unfused cable outlet only
Non-illuminated					
Plate	P901	P955	P966	P966	P978
Interiors	A953	A955	A966	A967	A978
Box Flush (metal)	1702	1702	1702	1702	1702

TV/FM/Satellite outlets

TV/FM outlets A941 and A942 are for use on existing systems. They are safety isolated for use on multi outlet communal systems. Interiors are available in black (B), or white (W). All other outlets are fully screened to BS EN 50083-2 for new multi outlet installations. Socket connector to IEC169-2 for FM. Pin connector to IEC169-2 for TV. Type F connector for satellite with through line powering capacity. For technical details and typical applications refer to page 91. Available in the range of finishes shown on page 83.



	TV/FM Co-axial standard single	TV/FM Co-axial double duplexed
TV/FM outlets		
Plate	P941	P942
Interiors	A941	A942
Box Flush (metal)	1702	1702

	Fully screened single 'F' type connector	Fully screened FM/TV outlet	Fully screened RAD/TV/Satellite outlet	Fully screened TV/RAD/SAT triplexed with return and BT Telephone Secondary	Fully screened 2 x F.TV/RAD return and BT Secondary
TV/FM/Satellite/Telephone outlets					
Plate	P9981	P9982	P9983	P9984	P9986
Interiors	A9981	A9982	A9983	A9984	A9986
Box Flush (metal)	1702	1702	1702	1703	1703