



Certain WARM TOUCH RANGE handles are held in stock.  
Handles comply with DDA & Document M requirements.

# ASH803 Warm Touch Range




## Technical Specification

### X Detailed Photography



### Technical Illustration



Style	Diameter ø	Centres(A)	Projection(B)	Throw(C)	Overrun(D)	Finish	Code
ASH 803	32	300	80	150	NA	Maple	MP
ASH 803	32	400	80	150	NA	Mahogany	BM
						Walnut	W
						Golden Oak	GO

\* Denotes not available in SAA or COL

\*\* Extra fixing points may be required on some sizes.  
Contact our technical department for assistance.

### Ordering Guide

Please use the following guide as an example when placing an order.

Style

Centres

Fixing kit

ASH803 . (32) . 300 . MP. F2A

Diameter

Finish

# ASH807 Warm Touch Range




## Technical Specification

### X Detailed Photography



### Technical Illustration



Style	Diameter $\varnothing$	Centres(A)	Projection(B)	Throw(C)	Overrun(D)	Finish	Code
ASH 807	32	300	80	-	-	Maple	MP
						Mahogany	BM
						Walnut	W
						Golden Oak	GO

\* Denotes not available in SAA or COL

\*\* Extra fixing points may be required on some sizes.  
Contact our technical department for assistance.

### Ordering Guide

Please use the following guide as an example when placing an order.

Style

Centres

Fixing kit

ASH807 . (32) . 300 . MP. F2A

Diameter

Finish

# ASH821 Timber Range




## Technical Specification

### X Detailed Photography



### Technical Illustration



Style	Diameter ø	Centres(A)	Projection(B)	Throw(C)	Overrun(D)	Finish	Code
ASH 821	38	up to 3000	80	NA	85	Maple	MP
						Mahogany	BM
						Walnut	W
						Golden Oak	GO

\*\* Extra fixing points may be required on some sizes.  
Contact our technical department for assistance.

### Ordering Guide

Please use the following guide as an example when placing an order.

Style

Centres

Metal Parts

ASH821 . (38) . 600 . MP . PB . F2A

Diameter

Grip

Fixing kit



# ASH822 Timber Range




## Technical Specification

### Detailed Photography



### Technical Illustration

X



Style	Diameter $\varnothing$	Centres(A)	Projection(B)	Bracket(F)	Overrun(D)	Finish	Code
ASH 522	44	up to 1800	82	49	19	Maple	MP
						Maghogany	BM
						Walnut	W
						Golden Oak	GO

\*\* Extra fixing points may be required on some sizes.  
Contact our technical department for assistance.

### Ordering Guide

Please use the following guide as an example when placing an order.

Style

Centres

Metal Parts

ASH822 . (44) . 600 . MP . PB . F2A

Diameter

Grip

Fixing kit

More ordering and fixing information can be found at the back of this catalogue

ASH 822

# ASH400 Warm Touch Range




## Technical Specification

### Detailed Photography



### Technical Illustration

54



Style	Diameter ø	Centres(A)	Projection(B)	Throw(C)	Overrun(D)	Finish inc metal parts	Code
ASH 400	32	400 - 2000	80	NA	NA	Iroko	IR
ASH 400	38	500 - 2500	80	NA	NA	American Oak	AO
						Maple	MP
						Mahogany	BM
						Nylon <sup>1</sup>	NYL
						Polished Stainless	PS
						Satin Stainless	SS

\*\* Extra fixing points may be required on some sizes.  
Contact our technical department for assistance.  
<sup>1</sup> For Nylon colours available please contact out technical dept.

### Ordering Guide

Please use the following guide as an example when placing an order.

StyleCentresMetal Parts

ASH400 . (38) . 800 . IR . SS . F2A

DiameterGripFixing kit

More ordering and fixing information can be found at the back of this catalogue

ASH 400

# ASH403 Warm Touch Range




## Technical Specification

### 55 Detailed Photography



### Technical Illustration



Style	Diameter $\varnothing$	Centres(A)	Projection(B)	Throw(C)	Overrun(D)	Finish inc metal parts	Code
ASH 403	32	400 - 2000	80	150	NA	Iroko	IR
ASH 403	38	500 - 2000	80	170	NA	American Oak	AO
						Maple	MP
						Mahogany	BM
						Nylon <sup>1</sup>	NYL
						Polished Stainless	PS
						Satin Stainless	SS

\*\* Extra fixing points may be required on some sizes.  
Contact our technical department for assistance.  
<sup>1</sup> For Nylon colours available please contact out technical dept.

### Ordering Guide

Please use the following guide as an example when placing an order.

Style

Centres

Metal Parts

ASH403 . (38) . 600 . IR . PB . F2A

Diameter

Grip

Fixing kit

# ASH420 Warm Touch Range




## Technical Specification

### Detailed Photography



### Technical Illustration

56



Style	Diameter $\varnothing$	Centres(A)	Projection(B)	Throw(C)	Overrun(D)	Finish inc metal parts	Code
ASH 420	32**	400 - 2000	80	102	85	Iroko	IR
ASH 420	38**	500 - 2500	83	108	85	American Oak	AO
ASH 420	50**	1000 - 3000	88	120	85	Maple	MP
						Mahogany	BM
						Nylon <sup>1</sup>	NYL
						Polished Stainless	PS
						Satin Stainless	SS

\*\* Extra fixing points may be required on some sizes.  
Contact our technical department for assistance.  
<sup>1</sup> For Nylon colours available please contact out technical dept.

### Ordering Guide

Please use the following guide as an example when placing an order.

Style

Centres

Metal Parts

ASH420 . (32) . 700 . AO . SS . F2A

Diameter

Grip

Fixing kit

# ASH421 Warm Touch Range




## Technical Specification

### 57 Detailed Photography



### Technical Illustration



Recommended grip sizes 300 - 600mm

Style	Diameter ø	Centres(A)	Projection(B)	Throw(C)	Overrun(D)	Finish inc metal parts	Code
ASH 421	32**	400 - 2000	80	NA	85	Iroko	IR
ASH 421	38**	500 - 2500	80	NA	85	American Oak	AO
ASH 421	50**	1000 - 3000	95	NA	85	Maple	MP
						Mahogany	BM
						Nylon <sup>1</sup>	NYL
						Polished Stainless	PS
						Satin Stainless	SS

\*\* Extra fixing points may be required on some sizes.  
Contact our technical department for assistance.  
<sup>1</sup> For Nylon colours available please contact out techincal dept.

### Ordering Guide

Please use the following guide as an example when placing an order.

Style

Centres

Metal Parts

ASH421 . (50) . 900 . IR . PS . F2A

Diameter

Grip

Fixing kit



# ASH423 Warm Touch Range




## Technical Specification

### Detailed Photography



### Technical Illustration

58



Style	Diameter $\varnothing$	Centres(A)	Projection(B)	Throw(C)	Overrun(D)	Finish inc metal parts	Code
ASH 423	32**	400 - 2000	96	80	85	Iroko	IR
ASH 423	38**	500 - 2500	98	80	85	American Oak	AO
ASH 423	50**	1000 - 3000	110	95	85	Maple	MP
						Mahogany	BM
						Nylon <sup>1</sup>	NYL
						Polished Stainless	PS
						Satin Stainless	SS

\*\* Extra fixing points may be required on some sizes.  
Contact our technical department for assistance.  
<sup>1</sup> For Nylon colours available please contact out technical dept.

### Ordering Guide

Please use the following guide as an example when placing an order.

StyleCentresMetal Parts

ASH423 . (32) . 800 . IR . SS . F2A

DiameterGripFixing kit